


# LABORATORY EQUIPMENTS



Made in EU

**Pegasil**<sup>®</sup> by **ZIPOR**



---

Abrasion Test Machine (type DIN) for Sole Material

**EL-78**

**Standards:** SATRA TM174 ; ISO 4649:Method A ; DIN 53 516 ; EN 12770

**Commercial Services:**  
Tel.: +351.256 831 411  
Fax: +351.256 831 412

**ZIPOR** - Equipamentos e Tecnologia Industrial, S.A.

email: [pegasil@zipor.com](mailto:pegasil@zipor.com)

**Technical Services:**  
Tel.: +351.256 888 240  
Fax: +351.256 888 121

# LABORATORY EQUIPMENTS

## Abrasion Test Machine (type DIN) for Sole Material

### DESCRIPTION:

This equipment is used to assess the abrasion of elastometers subject to wear by abrasive action.

The abrasion machine basically consists of a laterally movable test piece holder and a rotatable cylinder to which an specified abrasive cloth is fixed.

The diameter of the cylinder is 150 mm and the frequency of rotation 40 Rpm.

The test piece holder consists of a cylindrical opening, the diameter of which can be adjusted and have a device for adjusting the length of the test piece protruding from the opening to 2 mm.

The test piece holder is mounted on a swivel arm, the center axis of the holder have an inclination of  $3^{\circ}$  to the perpendicular in the direction of rotation and the centre of the test piece to be abraded shall lie within 1 mm directly above the longitudinal axis of the cylinder. The test piece is pressed against the abrasive cloth with a force of 10 N and the lateral displacement is approximately 4,2 mm per revolution of the cylinder, so that test piece is only traversed four times across the same area of the abrasive cloth.

The test automatically stops at the end of the abrasion distance.

The control panel is placed at the right side of the machine and possess three buttons with functions of: Test ; Start and Stop.

### Supplied with:

. Operating instructions ; conformity / calibration certificate  
. Sample knife

### Standards:

SATRA TM174 ; ISO 4649:Method A ; DIN 53 516 ; EN 12770

### Power Consumption:

400 W

### Noise:

67 db

### Power Supply:

230 V.AC - 50/60 Hz

We reserve the right to adopt any engineering or design alterations even without previous notice.

### Commercial Services:

Tel.: +351.256 831 411

Fax: +351.256 831 412

**ZIPOR** - Equipamentos e Tecnologia Industrial, S.A.

email: [pegasil@zipor.com](mailto:pegasil@zipor.com)

### Technical Services:

Tel.: +351.256 888 240

Fax: +351.256 888 121